

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	test\$3 same (software or applicatio\$2) same scrip\$2 same simulato\$2 same messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 18:13
L2	44	test\$3 same (software or applicatio\$2) same scrip\$2 same simulato\$2 and messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 18:13
L3	1	test\$3 same (software or applicatio\$2) same scrip\$2 same simulato\$2 and messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 18:13
L4	4	test\$3 same (software or applicatio\$2) same scrip\$2 and simulato\$2 and messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 18:13
S1	117	(test\$3) same (software or applicatio\$2) same simulato\$2 same messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 16:33
S2	22	(test\$3) same (software or applicatio\$2) same simulato\$2 same messag\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 16:33
S3	3	(test\$3) same (software or applicatio\$2) same simulato\$2 same messag\$2 and (test near cas\$2) and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 16:34

EAST Search History

S4	10	(test\$3) same (software or applicatio\$2) same simulators\$2 same messages\$2 and (test same cas\$2) and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 16:40
S5	22	(test\$3) same (software or applicatio\$2) same simulators\$2 same messages\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 16:58
S6	3	(test\$3 near cas\$2) same (software or applicatio\$2) same simulators\$2 same messages\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 16:59
S7	5	(test\$3 near cas\$2) same (software or applicatio\$2) same simulators\$2 and messages\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:00
S8	21	(test\$3 near cas\$2) same (software or applicatio\$2) and simulators\$2 and messages\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:19
S9	12	(test\$3 near cas\$2) same (software or applicatio\$2) same simulators\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:41
S10	5	(test\$3 near cas\$2) same (software or applicatio\$2) same simulators\$2 and messages\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:50
S11	3	(test\$3 near cas\$2) same (software or applicatio\$2) same simulators\$2 and messages\$2 and controlle\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:44

EAST Search History

S12	8	(test\$3 near cas\$2) same (software or applicatio\$2) same simulato\$2 and controlle\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:46
S13	61	(test\$3 near cas\$2) same (software or applicatio\$2) same simulato\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:46
S14	40	(test\$3 near cas\$2) same (software or applicatio\$2) same simulato\$2 and too\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/02 13:56
S15	2	(test\$3 near cas\$2) same (software or applicatio\$2) same simulato\$2 same messag\$2 and too\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:47
S16	20	(test\$3 near cas\$2) same (software or applicatio\$2) same simulato\$2 and messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:49
S17	5	(test\$3 near cas\$2) same (software or applicatio\$2) same simulato\$2 and script and messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:49
S18	12	(test\$3 near cas\$2) same simulato\$2 and messag\$2 and scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:54
S19	11579	(test\$3 near cas\$2) same simulato\$2 messag\$2 and scrip\$2 and controlle\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:55

EAST Search History

S20	1830	(test\$3 near cas\$2) same simulato\$2 messag\$2 and scrip\$2 same controlle\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:55
S21	2	(test\$3 near cas\$2) same simulato\$2 same messag\$2 and scrip\$2 same controlle\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:55
S22	2	(test\$3 near cas\$2) same simulato\$2 same messag\$2 and scrip\$2 and controlle\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:58
S23	147	(test\$3 near cas\$2) same simulato\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:58
S24	51	(test\$3 near cas\$2) same simulato\$2 same (applicato\$2 or software) and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 17:59
S25	24	(test\$3 near cas\$2) same simulato\$2 same (applicato\$2 or software) and tool and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:11
S26	1	(test\$3 near cas\$2) same simulato\$2 same (applicato\$2 or software) same messag\$2 and tool and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:12
S27	5	(test\$3 near cas\$2) same simulato\$2 same (applicato\$2 or software) and messag\$2 and tool and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:36

EAST Search History

S28	2	(test\$3 near cas\$2) same simulato\$2 same (applicato\$2 or software) and messag\$2 and script and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:37
S29	9	(test\$3 near cas\$2) same simulato\$2 same (applicato\$2 or software) and script and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:39
S30	22	(test\$3 near cas\$2) same simulato\$2 and (applicato\$2 or software) and script and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:46
S31	1	(test\$3 near cas\$2) same simulato\$2 same script and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:46
S32	23	(test\$3 near cas\$2) same simulato\$2 and script and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:46
S33	11	(test\$3 near cas\$2) same simulato\$2 and messag\$2 and script and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 18:46
S34	1266	test\$3 same (software or applicatio\$2) same scrip\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/02 13:57
S35	50	test\$3 same (software or applicatio\$2) same scrip\$2 same simulato\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/02 13:59

EAST Search History

S36	44	test\$3 same (software or applicatio\$2) same scrip\$2 same simulato\$2 and messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/02 13:59
S37	10	test\$3 same (software or applicatio\$2) same scrip\$2 same simulato\$2 same messag\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/02 14:15
S38	8	test\$3 same (software or applicatio\$2) same scrip\$2 same simulato\$2 same messag\$2 and cas\$2 and (@ad<"20020819" or @prad<"20020819" or @rlad<"20020819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 18:13